

## One-Step<sup>†</sup> Disinfectant Cleaner FOR USE IN SPAS, SALONS & CLINICS

# Efficacy Claims & Use Directions



## KEEP OUT OF REACH OF CHILDREN

READ S.D.S. BEFORE USING THE PRODUCT.
S.D.S. available online at www.virox.com

Manufactured by:

Virox® Technologies Inc.
2770 Coventry Road
Oakville, ON CANADA L6H 6R1
1-800-387-7578 | virox.com

Meets surface disinfection recommendations under the OSHA Bloodborne Pathogen Standard for \*HBV, \*HCV & \*HIV-1 Bactericidal, \*Virucidal, Fungicidal, and Tuberculocidal

## For Use In Spas, Salons & Clinics

Prevention™ Ready to Use is designed for the cleaning and disinfection of hard non-porous surfaces in spas, nail salons, hair salons, health clubs, massage therapy clinics, medical spas, tanning facilities, and tattoo parlors. It cleans quickly by removing body oils, dead tissue, soil and all other buildups or organic matter found on hard non-porous surfaces.

It is designed for daily use on hard, non-porous environmental surfaces such as spa equipment, countertops, massage tables, workstations, facial tables, esthetic tools and equipment and non-circulating footbaths.

#### **\*VIRUCIDAL: 1 MINUTE**

Adenovirus Type 8 Avian Influenza A Virus (H7N9) Avian Influenza A Virus (H3N2) Cytomegalovirus Feline Calicivirus Hepatitis B Virus (HBV) Hepatitis C Virus (HCV) Herpes Simplex Virus Type 1

Herpes Simplex Virus Type 2 HIV Type 1 (Strain HTLV  $\rm III_B$ )

Human Coronavirus

Influenza A Virus (Hong Kong Strain)

Influenza B Virus

Norovirus

Pandemic Influenza A Virus (H1N1)

Parainfluenza Virus Type 3

Poliovirus Type 1 (Strain Chat)

Respiratory Syncytial Virus (RSV)

Rhinovirus Type-37

Rotavirus (WA strain)

SARS-Related Coronavirus 2 (SARS-CoV-2)

(the virus that causes COVID-19)

Vaccinia Virus

## **BACTERICIDAL: 1 MINUTE**

Acinetobacter baumannii (Multi-Drug Resistant (MDR))

Bordetella bronchiseptica

Bordetella pertussis

Burkholderia cepacia

Chlamydia psittaci (Strain 6 BC)

Enterobacter aerogenes

Enterobacter cloacae (New Delhi metallo-β-lactamase 1

producing (NDM-1))

Enterococcus faecalis (Vancomycin Resistant (VRE))

Enterococcus faecium

Escherichia coli

Escherichia coli O157:H7

Escherichia coli (Extended Spectrum Beta-lactamase (ESBL) producing) Escherichia coli (New Delhi metallo-β-lactamase 1 (NDM-1) producing) Klebsiella pneumoniae

Klebsiella pneumoniae (Carbapenem Resistant (CRE))

Klebsiella pneumoniae (Extended Spectrum Beta-lactamase

(ESBL) producing)

Klebsiella pneumoniae (New Delhi metallo-β-lactamase 1 (NDM-1) positive)

Legionella pneumophila

Listeria monocytogenes

Pasteurella multocida

Pseudomonas aeruginosa

Pseudomonas aeruginosa (Metallo-beta lactamase (MBL) positive)

Salmonella enterica (formerly known as Salmonella choleraesuis)

Serratia marcescens

Shigella dysenteriae Staphylococcus aureus

Staphylococcus aureus (Community Acquired Methicillin Resistant

Genotype USA 400 (CA-MRSA 400))

Staphylococcus aureus (Methicillin Resistant (MRSA))

Staphylococcus aureus (Vancomycin Intermediate Resistant (VISA))

Staphylococcus aureus (Vancomycin Resistant (VRSA))

Staphylococcus epidermidis (Methicillin Resistant (MRSE))

Staphylococcus pseudintermedius

Stenotrophomonas (Pseudomonas) maltophilia

Streptococcus pneumoniae (Penicillin Resistant (PRSP))

Streptococcus pyogenes

## **TUBERCULOCIDAL: 1 MINUTE**

Mycobacterium bovis (BCG)

## **FUNGICIDAL: 1 MINUTE**

Candida albicans

Microsporum canis

Trichophyton interdigitale (formerly known as Trichophyton mentagrophytes) (Athlete's Foot and Nail Fungus)

## **NON-FOOD CONTACT SANITIZER: 10 SECONDS**

Acinetobacter baumannii

Campylobacter ieiuni

Enterobacter aerogenes

Enterococcus faecalis (Vancomycin Resistant (VRE))

Escherichia coli O157:H7

Listeria monocytogenes

Pseudomonas aeruginosa

Salmonella enterica (formerly known as Salmonella choleraesuis)

Staphylococcus aureus

Staphylococcus aureus (Methicillin Resistant (MRSA))

## SOFT SURFACE<sup>T</sup> SANITIZATION: 30 SECONDS

Enterobacter aerogenes

Enterococcus faecalis (Vancomycin Resistant (VRE))

Staphylococcus aureus (Methicillin Resistant (MRSA))

Staphylococcus aureus

# (MOLD/MILDEW) MILDEWCIDAL ACTIVITY: 4 MINUTES

Aspergillus brasiliensis (formerly known as Aspergillus niger)

## (MOLD/MILDEW) MILDEWSTATIC ACTIVITY: 4 MINUTES

Aspergillus brasiliensis (formerly known as Aspergillus niger)

\*KILLS HIV-1, HCV AND HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis C Virus (HCV) or Hepatitis B Virus (HBV).

# SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS), HCV OR HBV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

**Personal Protection:** Disposable latex or vinyl gloves, gowns, face masks, and eye coverings, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

**Cleaning Procedures:** Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of this product.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1, HCV and HBV.

**Disposal of Infectious Material:** Cleaning materials used that may contain blood and other body fluids must be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### For Use as a One-Step Cleaner/Disinfectant:

- 1. Pre-clean visibly soiled areas.
- 2. Spray hard, non-porous surfaces.
- 3. Allow surfaces to remain visibly wet for 1 minute.
- 4. Allow to air dry.

### For Use as a Non-Food Contact Sanitizer:

- 1. Pre-clean visibly soiled areas.
- 2. Spray product directly onto hard, non-porous surfaces.
- 3. Allow the surface to remain visibly wet for 10 seconds.
- 4. Wipe surfaces dry or allow to air dry.

## For Use as a Cleaner and/or Deodorizer:

- 1. Spray 6-8 inches from surfaces.
- 2. Allow to air dry or rinse.

#### For Use as a Sanitizer On Soft Surfaces<sup>†</sup>:

- 1. Hold bottle upright 6-8 inches from surfaces.
- 2. Spray until fabric area is visibly wet. Do not saturate.
- 3. Allow surfaces to remain visibly wet for 30 seconds.
- 4. Allow to air dry.

## For Use as a Disinfectant, on Hard, Non-Porous Surfaces of Non-Circulating Footbaths:

- 1. Drain: Drain the water and remove any visible debris.
- Clean: Thoroughly clean all hard, non-porous surfaces with this product, then rinse with water and drain.
- Apply: Spray this product on all hard, non-porous surfaces and allow solution to stand visibly wet for 1 minute.
- 4. Rinse all surfaces with fresh water and drain.

## To Disinfect Non-Critical\*, Pre-Cleaned Instruments:

- Instruments must be thoroughly pre-cleaned to remove excess organic debris, rinsed, and rough dried.
- Spray all hard, non-porous surfaces of instruments with this product until visibly wet.
- 3. Let stand for 1 minute.
- 4. Wipe with a clean, damp cloth or paper towel and allow to air dry.

#### To Kill Mold and Mildew:

- 1. Pre-clean surfaces. Follow the cleaner instructions.
- Apply product directly onto hard, non-porous surfaces until completely wet.
- 3. Allow the surface to remain visibly wet for 4 minutes.
- 4. Allow to air dry.

## To Control Mold and Mildew:

- 1. Apply product directly onto non-porous surfaces until completely wet.
- 2. Allow to air dry.
- 3. Repeat application weekly or when growth reappears.

## For Use as a Disinfectant with a Mechanical Sprayer/ Pressure Sprayer:

- 1. Fill tank with solution.
- 2. Pre-clean visibly soiled areas.
- **3.** Spray hard, non-porous surfaces, making sure to wet surfaces thoroughly.
- 4. All surfaces must remain visibly wet for 1 minute.
- 5. Let air dry.

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store in original container in areas inaccessible to small children. Keep securely closed.

**CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

**DISCLAIMER:** You must read and follow the instructions on the label for our product and use the product for the particular applications specified on the product label. To the full extent permitted under applicable law, Virox Technologies Inc. shall not be liable for any damages whatsoever, arising out of or otherwise in connection with any failure to follow those instructions or any use of its products which is not specified on the product's label. The instructions on the product label are not a warranty, express or implied, and Virox Technologies, Inc. expressly disclaims any implied warranties, including any warranty of fitness for a particular purpose. Under applicable law, some of the above waivers or disclaimers of warranty, or exclusions of liability for certain types of damages may not apply to you. In such cases, our liability will be limited to the fullest extent permitted by applicable law.

- Y Non-critical medical devices are items that come in contact only with intact skin.
- <sup>†</sup> composed of cotton or polyester
- † When used according to disinfection use directions

Accelerated Hydrogen Peroxide® and design are registered trademarks of Diversey, Inc. "Accelerated" does not imply increased product efficacy. | For relevant patents, visit: virox.com/patents